



## **801 BRICKELL**

801 Brickell Avenue ■ Miami FL, 33131

---

### **Building Rules & Regulations for Contractors**

**801 Brickell  
801 Brickell Avenue  
Miami, Florida 33131**

#### **A. PRIOR TO COMMENCEMENT OF WORK**

1. The Contractor and Subcontractors must submit to Jones Lang LaSalle Americas an Insurance Certificate including an indemnity hold harmless clause in accordance with attached insurance requirements, a copy of which is attached to these Contractor Procedures as Attachment "A".
2. All General Contractors and Sub-Contractors shall be pre-approved by the Landlord and shall comply with the building rules and regulations and insurance requirements. Use of non-recommended general or subcontractors by the tenant shall be subject to Landlord's prior approval and at its sole discretion. General contractor shall solicit bids from qualified union contractors but shall award job to union contractor only if they are the qualified low bidder.

#### **B. RULES AND PROCEDURES FOR WORKING IN BUILDING**

The following are rules and procedures to be followed when working in or around tenant occupied areas and within the Building:

1. Provide a trash can with a lid to dispose of lunches and food. Trash must be emptied daily and not be allowed to collect overnight.
2. All Contractors must maintain the areas in which they are working in a clean and orderly manner. During and at the completion of their work, Contractors must clean up and remove from the site all rubbish and debris before leaving the premises. If the Contractor fails to adhere to the above, the Landlord will provide trash service as required at the Contractor's expense.
3. All unused entry doors to vacant areas must be closed and locked at all times.
4. All persons involved in the Work must conduct themselves professionally when working in tenant occupied spaces and all public spaces.
5. Radios are prohibited in all areas.
6. Noisy operations are to be done after hours.
7. All construction performed outside of normal working hours must be coordinated with the Jones Lang LaSalle Americas, Inc. office with at least 48 hours notification before work is to be performed. No one will be allowed access after-hours without prior consent of Jones Lang LaSalle Americas, Inc..
8. Carpet mats are to be placed in front of the service elevator and along a path leading to the construction area.
9. Under no circumstances will Contractor alter, modify, or in any manner disturb any base-building system or its installation including the plumbing system, electrical system, heating, ventilating, and air conditioning system, fire protection and fire alarm system, or base-building structural systems, elevators, or anything located within the central core of





## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

the building without the Landlord's express written permission or direct supervision of the Landlord or the Landlord's Authorized Representative. For the purposes of this section, base-building shall be defined as that portion of the building system or component which is within the core and/or common to and/or serves or exists for the benefit of other tenants in the building.

Notwithstanding the foregoing, the Work may include special improvements which affect the base-building provided that the plans for such special improvements comply with all applicable codes and are approved in writing by the Landlord and any mortgage of the Landlord, if necessary. The Work shall also include any improvements necessary to increase the permitted floor loading, as required.

10. Normal business hours for the building are Monday through Friday, 8:00 a.m. to 6:00 p.m. Any work that disturbs tenants such as welding, cutting, coring, x-raying, disruption of chilled water, etc., must be performed after normal business hours, at Contractor's expense. All core drilling/cutting must be approved by the base-building structural engineer. Jones Lang LaSalle Americas, Inc. must be notified at least 48 hours prior to commencement of such work.
11. All demolition, removal or other types of work, which may inconvenience other tenants or disturb building operations, must be scheduled and performed before or after normal working hours. Jones Lang LaSalle Americas, Inc. shall be notified at least 48 hours prior to commencement of such work.
12. All fire alarm testing must be performed before or after normal working hours.
13. Contractor shall deliver to Jones Lang LaSalle Americas, Inc., for Landlord's approval, which will not be unreasonably withheld, a list of all the Contractors and Subcontractors who will be performing the work.
14. All design, construction, and installation shall conform to the requirements of applicable building, plumbing, and electrical codes and the requirements of any authority having jurisdiction over such work.
15. Prior to the initiation of any construction activity in the Building, Contractor shall use its best efforts to make arrangements for use of the loading dock and service elevator with Jones Lang LaSalle Americas, Inc.. Upon initiation of construction activity by any other tenant in the Building, Contractor shall make arrangements for use of the loading dock and freight elevator with Jones Lang LaSalle Americas, Inc. forty-eight (48) hours in advance. Notwithstanding the foregoing, Tenant shall not have a priority over future tenants and/or their Contractors in the use of the freight elevator and loading dock. No material or equipment shall be carried under or on top of the elevator. If the building manager deems an elevator operator is required, such operator shall be provided by the Contractor at the Contractor's expense.
16. Tie-in of either fire alarm or sprinkler/fire suppression systems shall not occur until all other work related to such systems has been completed. Only Landlord's Contractor (or a Landlord-approved sprinkler subcontractor) shall make the tie-in to the Base-building fire alarm and sprinkler/fire suppression systems. Contractor is to contract directly with Landlord's fire alarm contractor. Contact names and telephone numbers will be provided by Landlord.
17. Contractor must arrange to have freight stock received by their own forces.





## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

Contractor and subcontractors are required to submit to Jones Lang LaSalle Americas, Inc. a written request for dock space for off-loading materials and/or equipment required to construct the space. All requests are to include the name of the supplier, hauler, time of expected arrival and departure from Landlord's dock facility, name of Contractors and Subcontractors designated to accept delivery, and the location that the materials/equipment will be transported by Contractor/Subcontractor. Disregard for this requirement will result in those vehicles being moved at the vehicle owner's expense. The Contractor is not allowed to use the building trash dumpster under any circumstances. Notwithstanding the foregoing, prior to the Commencement Date, Contractors and Subcontractors may only park in areas specifically designated by the Landlord.

Any building material left in the loading dock, service corridor, stairwell, garage, on the site, etc. will be removed from the building at the Contractors' expense. Upon delivery of materials to the loading dock, tools, supplies, equipment, etc., the transport vehicle must be removed from the loading dock prior to the materials being carried to the work site.

18. If a shutdown of risers and mains for electric, HVAC, sprinkler, fire protection and plumbing work is required; work shall be scheduled with 48 hour advance notice. Drain downs or fill-ups of the sprinkler system or any other work to the fire protection system which may set off an alarm, must be accomplished between the hours of 6:30 p.m. and 6:30 a.m. Monday through Friday, or on Saturday through 6:30 a.m. on Monday. Contractor shall reimburse the Landlord for the cost of the building engineering at a rate of \$75.00/per hour during all after hour activities.

The Contractor must:

- i) Properly supervise construction on the premises at all times.
  - ii) Police job at all times, continually keeping the Premises and Project orderly. All materials are to be neatly stacked. Materials must not be left on the loading dock or they will be removed by the Landlord at the General Contractor's expense.
  - iii) Maintain cleanliness and protection of all areas, including elevator and lobbies.
  - iv) Distribute I.D. badges, if so required, to all construction workers.
  - v) If other tenants occupy the building, provide Jones Lang LaSalle Americas, Inc. with a list of those who are expected on the job after hours or during a weekend. Contractor shall use its best efforts to submit such a list by noon on the day in which after hours work is scheduled.
  - vi) Arrange for telephone service if necessary. Jones Lang LaSalle Americas, Inc. and security telephones will not be available for use by Contractors and subcontractors.
  - vii) Block off supply and return grills, diffusers and ducts to keep dust from entering into the building air system.
  - viii) Avoid and prevent the disturbance of other tenants.
19. Prior to the commencement of construction, Landlord and Contractor will inspect the Building, setting forth any pre-construction damages to the Building. Any damage caused by the Contractor to existing work of others shall be repaired at the sole cost and expense of the Contractor to the satisfaction of the Landlord.





## **801 BRICKELL**

801 Brickell Avenue ■ Miami FL, 33131

---

20. In the event that roof penetrations are required, the Contractor must contract directly with building roof supplier.

### **c. CONSTRUCTION FACILITY AND TEMPORARY CONTROLS**

1. Make premises available, as required, to Architect, Owner's Representatives and Subcontractors.
2. Execute Finish Work while eliminating unnecessary noise, dust, and other annoyances.
3. Contractor shall arrange for use of service elevator for vertical transportation with Assistant Property Manager.
4. During construction, provide temporary fire protection in accordance with local Fire Protection Code.
5. At Contractor's discretion and cost, Contractor should provide direct line telephone service at construction site for use of personnel and employees.
6. Contractor to review Building conditions and factors which affect construction procedures, construction facilities and public facilities which may be affected by execution of Finish Work.

### **d. TEMPORARY FACILITIES**

1. Furnish, install and maintain any temporary utilities required for construction, and remove the temporary utilities on completion of Tenant Finish Work.
2. Comply with National Electrical Code, including but not limited to NFPE 70E compliance for ARC Flash safety precaution.
3. Comply with local utility company requirements.
4. Provide adequate artificial lighting for areas when natural light is not adequate, and when areas are accessible to public.
5. Unnecessary lighting is to be extinguished during non-working hours.
6. Provide ventilation to maintain adequate environmental conditions, to maintain specified minimum conditions for installation of materials, and to protect materials and finishes from damage due to temperature or humidity as required by Contract Documents and manufacturer's recommendations.
7. Completely remove temporary materials and equipment when their use is no longer required.
8. Clean and repair damage caused by temporary installations or use of temporary facilities.
9. Restore existing facilities used for temporary services to specified or to original condition.
10. Use air conditioning filters if units are operated during construction, maintain filters as necessary and replace filters upon completion of Work on the floor.





## **801 BRICKELL**

801 Brickell Avenue ■ Miami FL, 33131

---

### **E. MATERIAL AND EQUIPMENT**

1. Comply with applicable specifications and standards.
2. Comply with size, make, type, and quality specified or as specifically accepted in writing by Architect.
3. Design, fabricate, and assemble products in accordance with best engineering and shop practices.
4. Manufacture like parts of duplicate units to standard interchangeable sizes and gauges. Two or more items of same kind shall be identically made by the same manufacturer.
5. Equipment capacities, sizes and dimensions shown or specified shall be adhered to unless variations are specifically accepted in writing by Owner.
6. Ensure that material or equipment are not used for any purpose other than that for which it is designed or is specified.
7. Obtain and distribute copies of instructions to parties involved in installation, including one copy to Architect when Contract Documents require that installation of Finish Work shall comply with manufacturer's printed instructions.
8. Handle, install, connect, clean, condition, and adjust products in strict accordance with manufacturer's instructions and in conformity with specified requirements.
9. Notify Architect and Portfolio Manager, in writing, if job conditions or specified requirements conflict with manufacturer's instructions and do not proceed with Work unless specifically modified or exempt by Contract Documents.
10. Do not omit any preparatory step or installation procedure unless specifically modified or exempted by Contract Documents.
11. Arrange deliveries of products in accordance with work schedules and coordinate all deliveries to avoid conflict with Work and conditions at Site. All deliveries to be coordinated with Jones Lang LaSalle Americas, Inc..
12. Deliver products in undamaged condition and in manufacturer's original containers or packaging, with identifying labels intact and legible.
13. Immediately upon delivery, inspect shipments to ensure compliance with requirements of Contract Documents and accepted submittal and in order to ensure that products are properly protected and undamaged.
14. Promptly remove unsatisfactory materials from the Building.
15. Furnish equipment and personnel to handle products by methods to prevent soiling or damage to products or packaging.
16. Arrange storage in manner to permit easy access for inspections and in a manner to prevent overloading of any structural members.
17. Store and mix paint in assigned room or area kept under lock and key. Remove oil rags and other combustible materials daily and take precautions to prevent fire hazards.
18. Provide substantial coverings as necessary to protect products after installation from damage from traffic and subsequent construction.

### **F. CLEANING**





## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

---

1. Execute cleaning, during process of Contractor's Work and at completion of work, as required. Refuse must be removed daily to Contractor's dumpster at loading dock.
2. Hazards Control:
  - i) Use of volatile wastes is not allowed.
  - ii) Remove containers from premises daily.
  - iii) Prevent accumulation of wastes which create hazardous conditions.
  - iv) Use of volatile or noxious substances is not allowed.
  - v) Maintain fire watch and fire extinguisher for a burning or welding operation provided by Contractor.
  - vi) Designate one person responsible to walk the space under construction, after subcontractors, and sub-subcontractors have left the space, in order to check for fires or hazardous conditions and extinguish fires and correct hazardous conditions.
  - vii) Provide material data safety sheets for all substances at point of storage and use of all substances.
3. Conduct cleaning and disposal operations to comply with local ordinances and anti-pollution laws, including:
  - i) No burning or burying rubbish and waste materials on the Site.
  - ii) No disposal of volatile wastes, such as mineral spirits, oil, or paint thinner, in storm or sanitary drains.
4. Use cleaning materials recommended by manufacturer of surface to be cleaned.
5. Use cleaning materials which will not create hazards to health or property.
6. Coordinate with Jones Lang LaSalle Americas, Inc. the daily removal of waste materials, debris, and rubbish from Building at Tenant Contractor's cost.
7. Continue cleaning on as-needed basis until space is ready for occupancy.
8. Remove grease, mastic, adhesives, dust, dirt, stains, labels, fingerprints, and other foreign materials from sight-exposed interior and exterior surfaces.
9. Wash and shine glazing, mirrors, and plastic laminate surfaces, window blinds and light fixtures.
10. Polish glossy surfaces to clear shine.
11. Clean flooring, ceramic tile, or special flooring, and vacuum carpet as recommended by manufacturers.
12. Repair, patch, and touch up marred surfaces to match adjacent surfaces. Replace broken or scratched glass.
13. Heating, Ventilating and Air Conditioning Systems:
  - i) Clean permanent filters and replace disposable filters if units were operated during construction.





## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

---

ii) Clean ducts, blowers and coils if units were operated without filters during construction.

14. Conduct inspection of sight-exposed interior surfaces and Work areas to verify that entire space is clean.

15. Leave space clean and ready for use and occupancy.

### G. WARRANTIES AND BONDS

1. Compile specified warranties and bonds.
2. Compile specified service and maintenance contracts.
3. Co-execute submittal when so specified.
4. Review submittal to verify compliance with Contract Documents.
5. Submit all warranties and bonds to Landlord and Architect for review.
6. Assemble warranties, bonds, service and maintenance contracts, executed by each of the respective manufacturers, suppliers and subcontractors.

### QUICK REFERENCE:

**Deliveries:** Please email Janet Camji ([janet.camji@am.jll.com](mailto:janet.camji@am.jll.com)), Indira Gonzalez ([indira.gonzalez@am.jll.com](mailto:indira.gonzalez@am.jll.com)), Jack Mulkern ([jack.mulkern@am.jll.com](mailto:jack.mulkern@am.jll.com)) and Joel Taboada ([joel.taboada@am.jll.com](mailto:joel.taboada@am.jll.com)) with a start and stop time and we'll notify security. Deliveries should occur prior to 8:00am or after 6:00pm M-F and any time on the weekends.

**Dumpster:** Email Janet, Indira, Jack and Joel with your request. If multiple GCs are working in the building, dumpster must be shared.

**Security:** Your crew will likely arrive prior to the garage gate and loading dock opening. Feel free to call security at 305-536-2990 or 305-815-1693 and they will open for you.

**Parking Card:** You may contact Ana Velarde ([averlarde@legacyparking.com](mailto:averlarde@legacyparking.com)) or Manny Rodriguez ([mrodriguez@legacyparking.com](mailto:mrodriguez@legacyparking.com)) in the parking office at 305-579-0003 or visit in person. The office is located at the entrance of the parking garage. All subcontractors are responsible for parking.

**Building Access Card:** please fill out the attached form for the superintendent. We will program the freight elevator to stop on floors basement, lobby, 3<sup>rd</sup> floor and floor in which construction will take place.

**Corridor:** This is a multi – tenant floor. Please be sure the elevator frames, wood paneling, marble floor, carpet, etc are protected.

**Access into suite:** Check in and out with security daily and they will provide access. Security can be reached at (305) 536-2990 or (305) 815-1693.

**Restroom:** Your subs may use the restroom located on the 3<sup>rd</sup> floor. This is accessible by the freight elevator. There is no locked door leading to the restroom so you won't have a problem accessing.





## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

---

**Supervision:** we will need to have a [GC Company Name] employee on site at all times with your subcontractors. Please abide by the noise restrictions. Please no music/loud talking within the space or in the corridor. Please all take lunch breaks at the same time so the subs are not left alone.

**X-raying and Core Drilling:** Schedule x-raying work a few days separate from core drilling. The building will need time to review the x-raying report once complete.

**Fire Alarm System on Test:** It is the GC's responsibility to notify security in person to request the system on test and to confirm at the end of the day that the panel is clear. If the fire alarm system is required to be put on test or is disabled by the fire alarm vendor or general contractor at any time, the contractor shall contract at their own expense with the building's security vendor to provide "fire watch" services during all times that the system is not fully operational. Notify management with 24 hour notice in writing when fire alarm system or sprinkler system is required to go on test and follow at protocols such as "hot work permits" etc.

**Work Requiring Access to Another Tenant Suite:** A security escort will be required to access another tenant suite for after-hours electrical, fire alarm, x-raying, core drilling, etc. Please contact the security supervisor at (305) 536-2990 to arrange. There is a four hour minimum. Admiral Security will invoice the contractor directly.

Agreed by: \_\_\_\_\_

Date: \_\_\_\_\_

Print Name: \_\_\_\_\_

Company: \_\_\_\_\_

Project: \_\_\_\_\_







## 801 BRICKELL

801 Brickell Avenue ■ Miami FL, 33131

---



JLL  
801 Brickell Avenue Suite 560 Miami, FL 33131  
tel +1 305 536 2950 fax +1 305 358 5502  
Licensed Real Estate Broker